GARDEN FENCING

DFPHA30

Post holder

For installing the aluminium post on a solid surface.



PRODUCT DESCRIPTION

Steel post holder for installing an aluminium post on a solid surface (concrete). The post holder is anchored into the surface, after which the post is screwed onto it.

BENEFITS

Solid surface

No need to dig holes: anchor the post holder directly to the solid surface.

Sleek design

Compact base plate (15 x 15 cm) and powder-coated finish in RAL 9005.

Easy assembly

Screws and pre-drilled holes for fast, accurate mounting of the post.

COLOUR

	BL	Black	RAL 9005


Colours shown are for illustration only and may differ from the actual colours.

COMBINE WITH

Aluminium post DF1PA85

Technical data

TECHNICAL DRAWING [MM]



TECHNICAL SPECIFICATIONS

PROPERTY	VALUE
Product name	**Post holder**
Item code	**DFPHA30**
Height	**30 cm**
Base plate	**0.6 x 15 x 15 cm**
Weight	**2 kg/piece**
Material	**Steel**
Finish	**Galvanised + powder-coated**
Origin	**Belgium**

Service & support

SCOPE OF DELIVERY

INCLUDED

- Post holder
- Stainless steel screws for mounting the post

NOT INCLUDED

- ✖ Bolts for anchoring into the surface
- ✖ Aluminium post DF1PA85 (order separately)

INSTALLATION GUIDELINES

Duofuse Slim Line horizontal installation: INST-DF-1001
Fixing method: Chemical anchoring or M12 x 100 mm wedge anchors
Maximum post height: 2.1 metres

WARRANTY

Term: 10 years
Document: GARA-0024

MAINTENANCE

Clean the post holder at least once a year with lukewarm water and a neutral detergent, then rinse with clean water. Clean more often near the sea, along gritted roads or by a swimming pool. Do not use abrasives, solvents or a pressure washer. Touch up scratches and paint damage promptly with touch-up paint in RAL 9005. Keep the base free of soil, plants and standing moisture.

- Can be used with aluminium post DF1PA82, but the post holder is always RAL 9005.

  Cannot be used with a gate post or hinge post.